

# Safety data sheet

Page: 1/11

BASF Safety data sheet  
Date / Revised: 25.09.2017  
Product: **AMDRO GRANULAR ANT BAIT**

Version: 4.0

(30575446/SDS\_CPA\_AU/EN)

Date of print 27.09.2017

## 1. Substance/preparation and manufacturer/supplier identification

### AMDRO GRANULAR ANT BAIT

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)  
Level 12, 28 Freshwater Place Southbank  
Victoria 3006, AUSTRALIA  
Telephone: +61 3 8855-6600  
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]  
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:

Reproductive toxicity: Cat. 1B (fertility)  
Hazardous to the aquatic environment - acute: Cat. 1  
Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:

Danger

BASF Safety data sheet  
 Date / Revised: 25.09.2017  
 Product: **AMDRO GRANULAR ANT BAIT**

Version: 4.0

(30575446/SDS\_CPA\_AU/EN)

Date of print 27.09.2017

**Hazard Statement:**

H360 May damage fertility.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements (Prevention):**

P280 Wear protective gloves/clothing/eye protection.  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.

**Precautionary Statements (Response):**

P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor/physician.  
 P391 Collect spillage.

**Precautionary Statements (Storage):**

P405 Store locked up.

**Precautionary Statements (Disposal):**

P501 Dispose of contents/container to hazardous or special waste collection point.

**Other hazards which do not result in classification:**

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

| May produce an allergic reaction. Contains: 2-TERT-BUTYLHYDROQUINONE

### 3. Composition/information on ingredients

**Chemical nature**

insecticide, Bait

**Hazardous ingredients**

| Hydramethylnon technical

Content (W/W): 0.73 %  
 CAS Number: 67485-29-4

Acute Tox.: Cat. 4 (Inhalation - dust)  
 Acute Tox.: Cat. 4 (oral)  
 Eye Dam./Irrit.: Cat. 2A  
 Repr.: Cat. 1B (fertility)  
 STOT RE: Cat. 1  
 Aquatic Acute: Cat. 1  
 Aquatic Chronic: Cat. 1  
 M-factor chronic: 1000

| 1,4-Benzenediol, 2-(1,1-dimethylethyl)-

BASF Safety data sheet  
Date / Revised: 25.09.2017  
Product: **AMDRO GRANULAR ANT BAIT**

Version: 4.0

(30575446/SDS\_CPA\_AU/EN)

Date of print 27.09.2017

Content (W/W): < 1 %  
CAS Number: 1948-33-0

Acute Tox.: Cat. 4 (oral)  
Acute Tox.: Cat. 4 (dermal)  
Skin Corr./Irrit.: Cat. 2  
Eye Dam./Irrit.: Cat. 2A  
Skin Sens.: Cat. 1  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1

#### 4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth immediately and then drink plenty of water, induce vomiting, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

#### 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Specific hazards:

carbon monoxide, hydrogen fluoride, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage

or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

### Personal precautions:

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Collect waste in suitable containers, which can be labeled and sealed. Dispose of absorbed material in accordance with regulations. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

### Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Protect against moisture. Keep away from heat. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

| No occupational exposure limits known.

#### Personal protective equipment

Respiratory protection:  
Respiratory protection not required.

Hand protection:  
Rubber gloves

Eye protection:  
Eye protection not required.

Body protection:  
Body protection not required.

#### General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

---

## 9. Physical and Chemical Properties

Form: powder  
Colour: tan  
Odour: mild, of vegetable oils  
Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 6 - 8  
(20 °C)

Melting point: > 20 °C  
Information on: starch

-----  
Boiling point: not applicable

Flash point: not applicable

Evaporation rate: not applicable

Flammability (solid/gas): Product is combustible.

Lower explosion limit:  
As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Self ignition:	Temperature: approx. 404 °C Information based on the main components.
Self heating ability:	It is not a substance capable of spontaneous heating.
Explosion hazard:	not explosive
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.
Vapour pressure:	not determined
Bulk density:	approx. 240 - 384 kg/m <sup>3</sup>
Relative vapour density (air):	not applicable
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Viscosity, dynamic:	not applicable, the product is a solid

## 10. Stability and Reactivity

Conditions to avoid:  
 See MSDS section 7 - Handling and storage.

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
------------------------	---

Substances to avoid:  
 strong bases, strong acids, strong oxidizing agents

Hazardous reactions:  
 No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:  
 No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg

LC50 rat (by inhalation): > 5 mg/l 4 h

LD50 rat (dermal): > 5,000 mg/kg

### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

### Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Skin sensitization test guinea pig:

### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

(30575446/SDS\_CPA\_AU/EN)

Date of print 27.09.2017

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Assessment of reproduction toxicity:

Causes impairment of fertility in laboratory animals.

### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### **Specific target organ toxicity (single exposure):**

Assessment of STOT single:

| Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

| Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Assessment of repeated dose toxicity:

Repeated oral exposure to small quantities may affect certain organs.  
-----

### **Aspiration hazard**

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

### **Other relevant toxicity information**

Misuse can be harmful to health.

---

## **12. Ecological Information**

### **Ecotoxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:



| LC50 (96 h) 4.08 mg/l, Brachydanio rerio

Aquatic invertebrates:

| EC50 (48 h) 0.29 mg/l, Daphnia magna

Aquatic plants:

| EC50 (96 h) 0.3 mg/l, Scenedesmus obliquus

| Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone  
Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.000088 mg/l, Daphnia magna

### **Mobility**

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Assessment transport between environmental compartments:

No data available.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.  
-----

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

### **Bioaccumulation potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Bioaccumulation potential:

Bioconcentration factor: 95, Gambusia affinis (measured)

Does not accumulate in organisms.  
-----

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

### 13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:  
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

### 14. Transport Information

#### Domestic transport:

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains HYDRAMETHYLNON)

#### Further information

Hazchem Code:2Z  
IERG Number:47

#### Sea transport

IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains HYDRAMETHYLNON)

#### Air transport

IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains HYDRAMETHYLNON)

#### Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

